



IP Signal double wall light

 Collection: Signal

 Designer: Pauline Deltour

Elegant shapes, minimalist accents and immaculate finishes. Find the CVL spirit in a collection of aesthetic and functional wall lights, specifically designed for bathrooms.

Types of design




Signal



Signal double



IP Signal
simple



IP Signal
double

Finishes



Satin
Copper



Polished
Copper



Satin
Brass



Polished
Brass



Satin
Graphite



Satin
Nickel

Polished
Graphite

Polished
Nickel

Material

Solid Brass

Polycarbonate diffuser

Technical specifications

France and others

IP Signal Double 580 (580mm - 22.8")

Lamping	Luminous flux	Color temperature	Power	Int. power supply	Dimmable
Integrated LED	570lm	3000°k	7W	Alimentation 24V int.	Yes - Phase cut

IP Signal Double 780 (780mm - 30.7")

Lamping	Luminous flux	Color temperature	Power	Int. power supply	Dimmable
Integrated LED	960lm	3000°k	13W	Alimentation 24V int.	Yes - Phase cut

IP Signal Double 980 (980mm - 38.6")



CVL



Lamping	Luminous flux	Color temperature	Power	Int. power supply	Dimmable
Integrated LED	1340lm	3000°k	17W	Alimentation 24V int.	Yes - Phase cut

CVL



CVL

