



IP Link Double

 Collection: test en

Élégance des formes, aux accents minimalistes et aux finitions soignées. Retrouvez l'esprit CVL dans une collection d'appliques esthétiques et fonctionnelles, spécifiquement conçues pour la salle de bain.

Types of design



Link reading light



Double reading wall light Link



IP Link



IP Link Double

Finishes

SC

Satin
Copper

PC

Polished
Copper

SB

Satin
Brass

PB

Polished
Brass

SG

Satin
Graphite

SN

Polished
Graphite

Satin
Nickel

Polished
Nickel

Material

Solid Brass

Polycarbonate diffuser

Technical specifications

France et autres


IP Link Double 610 (610mm - 24.1")

Lamping	Luminous flux	Color temperature	Power	Int. power supply	Dimmable
Integrated LED	320lm	3000°k	4W	Int. power supplier 24V incl.	Standard version not dim.

IP Link Double 960 (960mm - 37.8")

Lamping	Luminous flux	Color temperature	Power	Int. power supply	Dimmable
Integrated LED	660lm	3000°k	7W	Int. power supplier 24V incl.	Standard version not dim.

IP Link Double 1300 (1300mm - 51.2")



Lamping	Luminous flux	Color temperature	Power	Int. power supply	Dimmable
Integrated LED	880lm	3000°k	10W	Int. power supplier 24V incl.	Standard version not dim.

CVL



CVL



CVL

